# • SAFETY DATA SHEET

Version 6.12
Revision Date 11/06/2025
Print Date 07/21/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Dimethyl sulfoxide

Product Number : D5879
Brand : SIGALD
CAS-No. : 67-68-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

**Hazards for the product as supplied**

Flammable liquids : Category 4



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Other hazards**

Rapidly absorbed through skin.

**GHS label elements**

Signal word : Warning

Hazard statements : H227 Combustible liquid.

Precautionary statements :

**Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 67-68-5

**Components**

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---|---|---|---|
| dimethyl sulphoxide | 67-68-5* | >= 90 - <= 100 | - |

* Indicates that the identifier is a CAS No.
Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Remove contact lenses.

| | | |
|---|---|---|
| If swallowed | : | After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell. |
| Most important symptoms and effects, both acute and delayed | : | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 |
| Protection of first-aiders | : | For personal protection see section 8. |
| Notes to physician | : | No data available |

## SECTION 5. FIREFIGHTING MEASURES

| | | |
|---|---|---|
| Suitable extinguishing media | : | Water<br>Foam<br>Carbon dioxide (CO2)<br>Dry powder |
| Unsuitable extinguishing media | : | For this substance/mixture no limitations of extinguishing agents are given. |
| Specific hazards during fire fighting | : | Combustible.<br><br>Vapours are heavier than air and may spread along floors.<br><br>Forms explosive mixtures with air on intense heating.<br><br>Development of hazardous combustion gases or vapours possible in the event of fire. |
| Hazardous combustion products | : | Carbon oxides<br><br>Sulphur oxides |
| Specific extinguishing methods | : | No data available |
| Further information | : | Remove container from danger zone and cool with water. |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| | | Suppress (knock down) gases/vapours/mists with a water spray jet.<br>Prevent fire extinguishing water from contaminating surface water or the ground water system. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus. |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Advice for non-emergency personnel:<br>Do not breathe vapours, aerosols.<br>Keep away from heat and sources of ignition.<br>Evacuate the danger area, observe emergency procedures, consult an expert.<br>Advice for emergency responders:<br>For personal protection see section 8. |
| Environmental precautions | : | Do not let product enter drains. |
| Methods and materials for containment and cleaning up | : | Cover drains. Collect, bind, and pump off spills.<br>Observe possible material restrictions (see sections 7 and 10).<br>Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area. |

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

| | | |
|---|---|---|
| Advice on protection against fire and explosion | : | Keep away from open flames, hot surfaces and sources of ignition.<br>Take precautionary measures against static discharge. |
| Further information on storage conditions | : | Tightly closed. |
| Storage class | : | 10, Combustible liquids |
| Recommended storage temperature | : | Recommended storage temperature see product label. |
| Further information on storage stability | : | Store under inert gas.<br>hygroscopic |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ingredients with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|---|---|---|---|
| dimethyl sulphoxide | 67-68-5 | TWA | 250 ppm | US WEEL |

**Engineering measures** : No data available

**Personal protective equipment**

Respiratory protection : required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

| | | |
|---|---|---|
| Material | : | Chloroprene |
| Break through time | : | 480 min |
| Glove thickness | : | 0.65 mm |
| Protective index | : | Full contact |
| Manufacturer | : | KCL 720 Camapren® |
| | | |
| Material | : | Latex gloves |
| Break through time | : | 240 min |
| Glove thickness | : | 0.6 mm |
| Protective index | : | Splash contact |
| Manufacturer | : | Lapren® (KCL 706 / Aldrich Z677558, Size M) |
| | | |
| Remarks | : | This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| Eye protection | : | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Safety glasses |
| Hygiene measures | : | Change contaminated clothing. Wash hands after working with substance. |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|---|
| Appearance | : | liquid |
| Color | : | clear |
| Odor | : | odourless |
| Odor Threshold | : | No data available |
| pH | : | Not applicable |
| Melting point/ range | : | 61 - 66 °F / 16 - 19 °C |
| Boiling point/boiling range | : | 372 °F / 189 °C |
| Flash point | : | 189 °F / 87 °C<br>(1,013 hPa)<br>Method: ASTM D 93, closed cup |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Flammability (liquids) | : | No data available |
| Burning rate | : | No data available |
| Self-ignition | : | 572 - 576 °F / 300 - 302 °C<br>1,013 hPa |
| Upper explosion limit / Upper flammability limit | : | 28.5 %(V) |
| Lower explosion limit / Lower flammability limit | : | 2.6 %(V) |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| Vapor pressure | : | 0.55 hPa (68 °F / 20 °C) |
| Relative vapour density | : | 2.70<br>(Air = 1.0) |
| Relative density | : | No data available |
| Density | : | 1.1 g/mL |
| Solubility(ies)<br>Water solubility | : | completely miscible |
| Partition coefficient: n-octanol/water | : | log Pow: -1.35 (68 °F / 20 °C)<br>Bioaccumulation is not expected. |
| Autoignition temperature | : | 572 - 576 °F / 300 - 302 °C (1,013 hPa) |
| Decomposition temperature | : | > 374 °F / > 190 °C |
| Viscosity<br>Viscosity, dynamic | : | 2.14 mPa.s (68 °F / 20 °C) |
| Viscosity, kinematic | : | No data available |
| Flow time | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | none |
| Surface tension | : | 43.5 mN/m, 68 °F / 20 °C |
| Molecular weight | : | 78.13 g/mol |
| Particle characteristics<br>Particle size | : | No data available |

## SECTION 10. STABILITY AND REACTIVITY

| | | |
|---|---|---|
| Reactivity | : | Forms explosive mixtures with air on intense heating.<br><br>A range from approx. 15 Kelvin below the flash point is to be rated as critical. |
| Chemical stability | : | The product is chemically stable under standard ambient conditions (room temperature) . |
| Possibility of hazardous reactions | : | Risk of explosion with:<br>acetylidene |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

organic halides
perchlorates
Acid chlorides
nonmetallic halides
iron(III) compounds
nitrates
fluorides
chlorates
hydrides
perchloric acid
Oxides of phosphorus
Nitric acid
silver compounds
silicon compounds
silanes
acid halides
Exothermic reaction with:
boron compounds
oxyhalogenic compounds
Potassium
sodium
Strong oxidizing agents
phosphorus halides
strong reducing agents
Acid chlorides
Strong acids
silver salt
nitrogen dioxide
Risk of ignition or formation of inflammable gases or vapours with:
potassium permanganate

| | | |
|---|---|---|
| Conditions to avoid | : | Strong heating. |
| Incompatible materials | : | No data available |
| Hazardous decomposition products | : | In the event of fire: see section 5 |

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute toxicity**
LD50 Oral - Rat - male and female - 28,300 mg/kg
(OECD Test Guideline 401)
LC0 Inhalation - Rat - male and female - 4 h - > 5.33 mg/l - dust/mist

(OECD Test Guideline 403)
LD50 Dermal - Rat - male and female - 40,000 mg/kg
Remarks: (ECHA)



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Skin corrosion/irritation**
Skin - Rabbit
Result: slight irritation - 4 h
(OECD Test Guideline 404)

**Serious eye damage/eye irritation**
Eyes - Rabbit
Result: slight irritation - 24 h
(OECD Test Guideline 405)

**Respiratory or skin sensitization**
Maximisation Test - Guinea pig
Result: negative
(OECD Test Guideline 406)
Local lymph node assay (LLNA) - Mouse
Result: negative
(OECD Test Guideline 429)

**Germ cell mutagenicity**
Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 479
Result: negative
Test Type: Mutagenicity (mammal cell test): chromosome aberration.
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat

Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**
No data available



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Specific target organ toxicity - single exposure**
No data available

**Specific target organ toxicity - repeated exposure**
No data available

**Aspiration hazard**
No data available

### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 18 Months - No observed adverse effect level - 3,300 mg/kg - Lowest observed adverse effect level - 9,900 mg/kg

Repeated dose toxicity - Monkey - male and female - Dermal - 18 Months - No observed adverse effect level - >= 8,910 mg/kg - Lowest observed adverse effect level - 990 mg/kg

RTECS: PV6210000
Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

Eyes - Eye disease - Based on Human Evidence

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**dimethyl sulphoxide:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): > 25,000 mg/l<br>End point: mortality<br>Exposure time: 96 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 203<br>GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 24,600 mg/l<br>Exposure time: 48 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 17,000 mg/l<br>Exposure time: 72 h<br>Test Type: static test |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): 10 - 100 mg/l
Exposure time: 30 min
Method: ISO 8192

**Persistence and degradability**

**Components:**

**dimethyl sulphoxide:**

Biodegradability : aerobic
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Stability in water : Degradation half life: 0.12 - 1.2 h (30 °C) pH: 7
Remarks: Hydrolyses readily.

**Bioaccumulative potential**

**Components:**

**dimethyl sulphoxide:**

Partition coefficient: n-octanol/water : log Pow: -1.35 (68 °F / 20 °C)
Remarks: Bioaccumulation is not expected.

**Mobility in soil**

No data available

**Other adverse effects**

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## SECTION 14. TRANSPORT INFORMATION

**International Regulations**



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**IATA-DGR**
Not regulated as a dangerous good

**IMDG-Code**
Not regulated as a dangerous good

**Transport in bulk according to IMO instruments**
Not applicable for product as supplied.

**National Regulations**

**49 CFR Road**

| | | |
|---|---|---|
| UN/ID/NA number | : | NA 1993 |
| Proper shipping name | : | Combustible liquid, n.o.s. (dimethyl sulphoxide) |
| Class | : | CBL |
| Packing group | : | III |
| Labels | : | None |
| ERG Code | : | 128 |
| Marine pollutant | : | no |
| Poison Inhalation Hazard | : | No |

**Special precautions for user**
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

**CERCLA Reportable Quantity**
This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**
This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**
This material does not contain any components with a section 302 EHS TPQ.

| | | |
|---|---|---|
| **SARA 311/312 Hazards** | : | Fire Hazard<br>Chronic Health Hazard |
| **SARA 313** | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

**US State Regulations**

**Massachusetts Right To Know**
No components are subject to the Massachusetts Right to Know Act.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

**Full text of other abbreviations**

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada