MCKESSON

Hydrocellular Foam Dressing **SILICONE ADHESIVE | WITH BORDER**

GENTLE ADHESIVE | STERILE

For use with MFR #16-4664

INSTRUCTIONS FOR USE

DESCRIPTION

McKesson silicone adhesive foam dressing is comprised of polyurethane (PU) film, three-layer pad comprised of PU foam, non-woven fabric and absorbent fiber, silicone gel, and polyethylene (PE) release film. McKesson silicone adhesive foam dressing is an absorbent and atraumatic dressing that absorbs exudate, maintains a moist wound healing environment, and acts as a barrier to liquid and microorganisms from the wound. The wound contact surface of silicone adhesive foam dressing is coated with a layer of soft silicone that does not stick to the surface of a wound or cause trauma to delicate new tissue upon removal. This soft silicone layer is also slightly tacky, which facilitates application and retention of the dressing to intact skin but minimizes the incidence of epidermal stripping or pain on removal.

INDICATIONS

McKesson silicone adhesive foam dressing is indicated for the management of a wide range of exuding wounds such as leg and foot ulcers, pressure ulcers, traumatic wounds such as skin tears and secondary healing wounds.

CONTRAINDICATIONS

Discontinue use if the patient is allergic to any components of the dressing.

METHOD OF USE

1. Note that local hygiene procedures should be followed prior to and following the dressing change.
2. Make sure the wound area is clean and dry before using dressing.
3. A dressing should be selected that overlaps the wound margin by at least 0.8 inches (2 centimeters).
4. Remove the release film before use and adhere the dressing on the wound area. Do not stretch.
5. When necessary, fixate the dressing with a bandage or another fixation.
6. Use secondary dressings, if necessary.

FREQUENCY OF CHANGE

The interval between dressing changes will depend entirely upon the state of the wound and the nature of the secondary dressing. Dressings applied to heavily exuding or sloughy wounds may need replacing daily initially, but as healing progresses and the amount of exudate decreases, the interval between changes may be extended to up to 7 days. Dressings should be changed when exudate is present at the pad edges.

WARNINGS

Sloughy wounds dressed with silicone foam dressing may initially appear to increase in size due to autolytic debridement promoted by the moist conditions produced beneath the dressing. This is normal and to be expected. Clinically infected wounds dressed with silicone foam dressings should be carefully monitored and systemic antibiotic therapy considered if the infection does not resolve.

PRECAUTIONS

1. If redness, swelling, heat, or pain occurs on the wound, discontinue use immediately and contact a qualified healthcare professional.
2. If the wound does not begin to show signs of healing or if any other unexpected symptoms occur, contact a qualified healthcare professional.
3. Do not use silicone foam dressings together with oxidizing agents such as hypochlorite solutions or hydrogen peroxide.
4. Do not litter. The product must be disposed as infectious medical waste.
5. It may be applied and changed by healthcare professionals, trained patients, and their family members.
6. Do not use if inner package is damaged. Sterility is guaranteed if inner package is intact.
7. Do not resterilize.

STORAGE

Avoid storage in direct sunlight/fluorescent lighting and store in a cool, dry, well-ventilated area.

SHELF LIFE

The product is valid for 3 years under the specified storage conditions.

DISPOSAL

Dispose of the used product in accordance with national regulations.

SPECIFICATION

MFR# 16-4664	5 in x 5 in (12.5 cm x 12.5 cm) DRESSING	3 in x 3 in (7.5 cm x 7.5 cm) PAD

Consult instructions for use	Keep away from sunlight	Caution
Do not use if package is damaged	STERILE EO Sterilized using ethylene oxide	Use-by
Keep dry	Do not resterilize	Temperature limit
LOT Batch code	Do not reuse	Date of manufacture

Notice: If any serious incident occurs in relation to the device, please call 1-800-777-4908.

Not made with natural rubber latex. Questions? Call 1-800-777-4908

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0625 AVN 01 Made in China