MSDS

QuickLink III, Solution I Neat Stain-Hematology

Section 1: Identification

Product Name: QuickLink III, Soln I Neat Stain Hematology
Product Catalog No: 400140, 400150, 400160 and 400220

Emergency Phone at Infotrac: (800) 535-5053
Date Prepared: 09/10/01

Section 2: Composition

Hazardous Component(s):	CAS Number	OSHA PEL, ACGIH TLV/STEL (PPM)	NFPA	
			Health	1
Sodium Azide Trace	26628-22-8	0.29 TWA	Flammability	0
			Reactivity	0

Section 3: Physical Data

Boiling Point:	212°F	*Specific Gravity (H_20 = 1):* ~1	
Vapor Pressure mm Hg/20°C:	NE	*Percent Volatile by Vol:* NA	
Vapor Density (Air 1:1)	NE	*Evaporation Rate (ether = 1):* >1	
Solubility in H20:	Complete	*Appearance & Odor:* Orange liquid/odorless	

Section 4: Fire and Explosion Hazard

Flash Point: Non-Flammable *Flammable Limits:* LEL: NA UEL NA

Extinguishing Media: Water spray, dry chemical, CO_2 and foam for alcohol

Special Firefighting Procedures: Wear protective clothing with NIOSH approved breathing apparatus. Products of combustion may be harmful in a fire situation. Do not use direct water stream

Unusual Fire & Explosion Hazards: May give off toxic fumes under fire conditions

Section 5: Reactivity

Stability: Stable *Material to Avoid:* Some metallic oxides/metals (not in the concentration present)

Hazardous Decomposition or Byproducts: Oxides of carbon and nitrogen

Hazardous Polymerization: Does not occur *Conditions to Avoid:* Normal laboratory care.

Section 6: Health Hazards

Routes of Entry: Inhalation, skin and ingestion

Acute/Chronic: Product is not expected to cause health hazards when utilizing good laboratory practices and the concentration present in the product Eye and skin irritant. Poisonous if swallowed.

Carcinogenicity: Not classified as a human carcinogen

Signs/Symptoms of Exposure: Blurred vision, drowsiness and headache.

For Technical Service Call 800-638-2625

MSDS

QuickLink III, Solution I Neat Stain-Hematology

Section 6: Health Hazards cont'd
Emergency First Aid:

Skin:	Remove contaminated clothing and wash affected area with soap and water
Eyes	Thoroughly flush eyes with water. Contact a physician if irritation persists
Ingestion.	Rinse mouth thoroughly with water provided person is conscious. Contact a physician
Inhalation:	Remove person to fresh air. If not breathing, give artificial respiration and contact a physician.

Section 7: Safe Handling

Chemical Release or Spill: Isolate the spill area with sand or other absorbent material. Place all contaminated material in closed container for proper disposal.

Waste Disposal Method: All liquid and/or contaminated material should be disposed of in DOT approved waste containers. Comply with all Federal, State and Local regulations for disposal.

Precautions for Handling and Storage: Normal laboratory care

Section 8: Control Measures

Respiratory Protection: Not normally required.

Ventilation: Mechanical exhaust is sufficient.

Protective Gloves: Chemical resistant. *Eye Protection:* Safety glasses

Other Protective Clothing or Equipment: Normal laboratory apparel suggested by Good Laboratory Practices

Work/Hygienic Practices. Wash thoroughly with soap and water after handling.

The information listed here is believed to be correct and does not purport to be all-inclusive and shall be used only as a guide. HealthLink shall not be held liable for any damage resulting from handling or contact with this product

HealthLink
3611 St. Johns Bluff Rd. So. Ste. 1
Jacksonville, FL 32224

For Technical Service Call 800-638-2625