STERIS®

6/19/2015

PHYSICIAN SALES & SERVICE INC
PO BOX 550560
JACKSONVILLE, FL 32255

PHYSICIAN SALES & SERVICE MEMP
5950 FREEPORT AVE STE 109
MEMPHIS, TN 38141

Dear Valued Customer:

Enclosed are SDS for each product listed below. This information is required by the OSHA Hazard Communications Standard 29 CFR 1900.1200. Please route the SDS to the appropriate department.

ORDER NO.	PRODUCT NO.	PRODUCT NAME
8055211	LCC310	VERIFY FLASH INTEGRATOR (BX

If you need additional SDS or if you have questions regarding the use of any of our products, please call 1-800-548-4873 for Healthcare Products Customer Service or 1-800-444-9009 for Scientific Products Customer Service.

Thank you for your continued interest in STERIS products.

STERIS®

STERIS Corporation
5960 Heisley Road
Mentor, OH 44060-1834 • USA
440-354-2600 • 800-548-4873
In Canada, 800-661-3937
www.steris.com

STERIS offices provide support throughout the world:

Germany	49 223 6999 400
Hong Kong	852 563 3623
Italy	39 0141 590429
Japan	81 78 252 1901
Korea	82 2 554 1661
Latin America	305 442 8202
Singapore	65 841 7677
Spain	34 91 658 5920
United Kingdom	44 1 608 811 822

1. Identification of the Substance and Company

VERIFY™ SixCess™ Steam Indicator Strips
Product No. See Chart Below
SDS No. B111US

NFPA 704 HAZARD RATING:
HEALTH: 0
FIRE: 0
REACTIVITY: 0

Prepared by: M. Ebers
asksteris_msds@steris.com

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

Albert Browne Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester, LE5 1QZ, UK
Emergency Phone No: +44 (0) 1895 622 639
Product/Technical Information Phone No: +44 (0) 116 276 8636

Product Name:	Product Number
VERIFY™ SixCess™ 250F 30 min Short Steam Indicator	PCC005
VERIFY™ SixCess™ 270F 4 min Short Steam Indicator	PCC006
VERIFY™ SixCess™ 250F 30min Long Steam Indicator	PCC007
VERIFY™ SixCess™ 270F 4 min Long Steam Indicator	PCC008
VERIFY™ SixCess™ 270F 15 min Steam Indicator	PCC031
VERIFY™ SixCess™ 275F 10 min Long Steam Indicator	PCC033
VERIFY™ SixCess™ 275F 3 min Long Steam Indicator	PCC034
VERIFY™ SixCess™ 275F 10 min Short Steam Indicator	PCC037
VERIFY™ SixCess™ 275F 3 min Short Steam Indicator	PCC038
VERIFY™ SixCess™ 270F Flash Indicator	LCC310
VERIFY™ SixCess™ 275F Flash indicator	LCC005
SHIPPING INFORMATION:	**NOT RESTRICTED**

VERIFY™ SixCess™ steam chemical indicators are not hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200 and the Controlled Products Regulations; and are free of lead and other heavy metals.

VERIFY™ SixCess™ steam chemical indicators do not contain any components derived from animal origin, do not come into contact with materials of animal origin and therefore comply with the "Note for guidance of minimizing the risk of transmitting animal spongiform encephalopathy agents via human Veterinary medicinal products (EMEA/410/01 Rev. 2-October 2003)."

The VERIFY™ SixCess™ series of steam chemical indicators are free of natural rubber latex and dry natural rubber products.

VERIFY™ SixCess™ Steam Indicators are cycle verification indicators which are designed to react to all critical variables for specific sterilization cycles. These cycle-specific indicators have a more defined endpoint (point of color change) than Class 5 (integrating indicators. Each strip monitors all critical parameters of steam sterilization (exposure time, temperature, and steam quality).

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.