SAFETY DATA SHEET

IMMULITE® 2000 CMV IgG

SIEMENS

MSDS no. L2KCVG2_6

Section 1. Identification

GHS product identifier : IMMULITE® 2000 CMV IgG

Product code : L2KCVG2, 10381309

Other means of identification :

CMV IgG Reagent Wedge A	L2CVGA2-A
CMV IgG Reagent Wedge B	L2CVGA2-B
IMMULITE 2000 TORCH IGG/IGM DILUENT	L2IGZ2
CMV IgG Controls	LCVGC1, LCVGC2
CMV IgG Adjustor	LCVGR

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Manufactured/supplied : Siemens Healthcare Diagnostics Inc.
511 Benedict Avenue
Tarrytown, NY 10591-5097 USA
1-877-229-3711

(800) 424-9300 (CHEMTREC) (24/365)

Section 2. Hazards identification

OSHA/HCS status :

CMV IgG Reagent Wedge A	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
CMV IgG Reagent Wedge B	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
IMMULITE 2000 TORCH IGG/IGM DILUENT	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
CMV IgG Controls	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
CMV IgG Adjustor	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture :

CMV IgG Reagent Wedge A	Not classified.
CMV IgG Reagent Wedge B	Not classified.
IMMULITE 2000 TORCH IGG/IGM DILUENT	Not classified.
CMV IgG Controls	Not classified.
CMV IgG Adjustor	Not classified.

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 38.2%

GHS label elements

Signal word :

CMV IgG Reagent Wedge A	No signal word.
CMV IgG Reagent Wedge B	No signal word.
IMMULITE 2000 TORCH IGG/IGM DILUENT	No signal word.
CMV IgG Controls	No signal word.
CMV IgG Adjustor	No signal word.

Section 2. Hazards identification

Hazard statements	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.
Precautionary statements			
Prevention	:	CMV IgG Reagent Wedge A	Not applicable.
		CMV IgG Reagent Wedge B	Not applicable.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not applicable.
		CMV IgG Controls	Not applicable.
		CMV IgG Adjustor	Not applicable.
Response	:	CMV IgG Reagent Wedge A	Not applicable.
		CMV IgG Reagent Wedge B	Not applicable.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not applicable.
		CMV IgG Controls	Not applicable.
		CMV IgG Adjustor	Not applicable.
Storage	:	CMV IgG Reagent Wedge A	Not applicable.
		CMV IgG Reagent Wedge B	Not applicable.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not applicable.
		CMV IgG Controls	Not applicable.
		CMV IgG Adjustor	Not applicable.
Disposal	:	CMV IgG Reagent Wedge A	Not applicable.
		CMV IgG Reagent Wedge B	Not applicable.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not applicable.
		CMV IgG Controls	Not applicable.
		CMV IgG Adjustor	Not applicable.
Supplemental label elements	:	CMV IgG Reagent Wedge A	None known.
		CMV IgG Reagent Wedge B	None known.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	None known.
		CMV IgG Controls	None known.
		CMV IgG Adjustor	None known.
Hazards not otherwise classified	:	CMV IgG Reagent Wedge A	None known.
		CMV IgG Reagent Wedge B	None known.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	None known.
		CMV IgG Controls	None known.
		CMV IgG Adjustor	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	CMV IgG Reagent Wedge A	Mixture
		CMV IgG Reagent Wedge B	Mixture
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Mixture
		CMV IgG Controls	Mixture
		CMV IgG Adjustor	Mixture

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
CMV IgG Reagent Wedge A aminocaproic acid	1.2	60-32-2
CMV IgG Reagent Wedge B aminocaproic acid	1.2	60-32-2
IMMULITE 2000 TORCH IGG/IGM DILUENT aminocaproic acid	2.5	60-32-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact :

CMV IgG Reagent Wedge A	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
CMV IgG Reagent Wedge B	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
IMMULITE 2000 TORCH IGG/IGM DILUENT	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
CMV IgG Controls	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
CMV IgG Adjustor	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation :

CMV IgG Reagent Wedge A	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
CMV IgG Reagent Wedge B	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
IMMULITE 2000 TORCH IGG/IGM DILUENT	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition

Section 4. First aid measures

			products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		CMV IgG Controls	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		CMV IgG Adjustor	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	CMV IgG Reagent Wedge A	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		CMV IgG Reagent Wedge B	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		CMV IgG Controls	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		CMV IgG Adjustor	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	CMV IgG Reagent Wedge A	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
		CMV IgG Reagent Wedge B	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention

Section 4. First aid measures

		if symptoms occur.
	CMV IgG Controls	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	CMV IgG Adjustor	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.
Inhalation	:	CMV IgG Reagent Wedge A	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Reagent Wedge B	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Controls	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Adjustor	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.
Ingestion	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical

Section 4. First aid measures

		CMV IgG Adjustor	hazards. No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.
Inhalation	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.
Skin contact	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.
Ingestion	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam or dry chemical.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 5. Fire-fighting measures

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Physical state	: CMV IgG Reagent Wedge A	Liquid.
	CMV IgG Reagent Wedge B	Liquid.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Liquid.
	CMV IgG Controls	Liquid.
	CMV IgG Adjustor	Liquid.
Color	: CMV IgG Reagent Wedge A	Colorless.
	CMV IgG Reagent Wedge B	Colorless.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Light yellow.
	CMV IgG Controls	Colorless.
	CMV IgG Adjustor	Colorless.
Odor	: CMV IgG Reagent Wedge A	Odorless.
	CMV IgG Reagent Wedge B	Odorless.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Odorless.
	CMV IgG Controls	Odorless.
	CMV IgG Adjustor	Odorless.
pH	: CMV IgG Reagent Wedge A	7.95 to 8.05
	CMV IgG Reagent Wedge B	7.95 to 8.05
	IMMULITE 2000 TORCH IGG/IGM DILUENT	8
	CMV IgG Controls	7.95 to 8.05
	CMV IgG Adjustor	7.95 to 8.05
Flash point	: CMV IgG Reagent Wedge A	Not available.
	CMV IgG Reagent Wedge B	Not available.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
	CMV IgG Controls	Not available.
	CMV IgG Adjustor	Not available.
Flammability (solid, gas)	: CMV IgG Reagent Wedge A	Not available.
	CMV IgG Reagent Wedge B	Not available.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
	CMV IgG Controls	Not available.
	CMV IgG Adjustor	Not available.

Section 9. Physical and chemical properties

Relative density	:	CMV IgG Reagent Wedge A	1
		CMV IgG Reagent Wedge B	1
		IMMULITE 2000 TORCH IGG/IGM DILUENT	>1
		CMV IgG Controls	1
		CMV IgG Adjustor	1
Solubility in water	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.
Partition coefficient: n-octanol/water	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.
Auto-ignition temperature	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.
Viscosity	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.

Section 10. Stability and reactivity

Reactivity	:	CMV IgG Reagent Wedge A	No specific test data related to reactivity available for this product or its ingredients.
		CMV IgG Reagent Wedge B	No specific test data related to reactivity available for this product or its ingredients.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific test data related to reactivity available for this product or its ingredients.
		CMV IgG Controls	No specific test data related to reactivity available for this product or its ingredients.
		CMV IgG Adjustor	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	CMV IgG Reagent Wedge A	The product is stable.
		CMV IgG Reagent Wedge B	The product is stable.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	The product is stable.
		CMV IgG Controls	The product is stable.
		CMV IgG Adjustor	The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Conclusion/Summary :

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
CMV IgG Reagent Wedge A aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
CMV IgG Reagent Wedge B aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
IMMULITE 2000 TORCH IGG/IGM DILUENT aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Conclusion/Summary

Skin :

Eyes :

Respiratory :

Sensitization

Not available.

Conclusion/Summary

Skin :

Respiratory :

Mutagenicity

Not available.

Conclusion/Summary :

Carcinogenicity

Not available.

Conclusion/Summary :

Reproductive toxicity

Not available.

Conclusion/Summary :

Teratogenicity

Not available.

Conclusion/Summary :

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Section 11. Toxicological information

Eye contact	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.
Inhalation	:	CMV IgG Reagent Wedge A	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Reagent Wedge B	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Controls	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		CMV IgG Adjustor	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.
Ingestion	:	CMV IgG Reagent Wedge A	No known significant effects or critical hazards.
		CMV IgG Reagent Wedge B	No known significant effects or critical hazards.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No known significant effects or critical hazards.
		CMV IgG Controls	No known significant effects or critical hazards.
		CMV IgG Adjustor	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.
Inhalation	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.

Section 11. Toxicological information

Skin contact	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.
Ingestion	:	CMV IgG Reagent Wedge A	No specific data.
		CMV IgG Reagent Wedge B	No specific data.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	No specific data.
		CMV IgG Controls	No specific data.
		CMV IgG Adjustor	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.
Potential delayed effects	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.

Long term exposure

Potential immediate effects	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.
Potential delayed effects	:	CMV IgG Reagent Wedge A	Not available.
		CMV IgG Reagent Wedge B	Not available.
		IMMULITE 2000 TORCH IGG/IGM DILUENT	Not available.
		CMV IgG Controls	Not available.
		CMV IgG Adjustor	Not available.

Potential chronic health effects

Not available.

Conclusion/Summary	:	
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Route	ATE value
CMV IgG Reagent Wedge A Oral	85714.3 mg/kg
CMV IgG Reagent Wedge B Oral	85714.3 mg/kg
IMMULITE 2000 TORCH IGG/IGM DILUENT Oral	136986.3 mg/kg

Other information :

Section 12. Ecological information

Toxicity

Not available.

Conclusion/Summary :

Persistence and degradability

Conclusion/Summary :

Bioaccumulative potential

Product/ingredient name	$LogP_{ow}$	BCF	Potential
CMV IgG Reagent Wedge A aminocaproic acid	-2.95	-	low
CMV IgG Reagent Wedge B aminocaproic acid	-2.95	-	low
IMMULITE 2000 TORCH IGG/IGM DILUENT aminocaproic acid	-2.95	-	low

Mobility in soil

Soil/water partition coefficient (K_{OC}) :

Mobility :

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

DOT Classification

UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

TDG Classification

UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

Section 14. Transport information

Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

Mexico Classification

UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

ADR/RID

UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

Section 14. Transport information

Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

IMDG

UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

Section 14. Transport information

		IATA
UN number	CMV IgG Reagent Wedge A	Not regulated.
	CMV IgG Reagent Wedge B	Not regulated.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	Not regulated.
	CMV IgG Controls	Not regulated.
	CMV IgG Adjustor	Not regulated.
UN proper shipping name	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Transport hazard class(es)	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Packing group	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-
Environmental hazards	CMV IgG Reagent Wedge A	No.
	CMV IgG Reagent Wedge B	No.
	IMMULITE 2000 TORCH IGG/IGM DILUENT	No.
	CMV IgG Controls	No.
	CMV IgG Adjustor	No.
Additional information	CMV IgG Reagent Wedge A	-
	CMV IgG Reagent Wedge B	-
	IMMULITE 2000 TORCH IGG/IGM DILUENT	-
	CMV IgG Controls	-
	CMV IgG Adjustor	-

Special precautions for user :

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption**: Not determined

United States inventory (TSCA 8b): Not determined.

Clean Water Act (CWA) 307: zinc chloride

Clean Water Act (CWA) 311: zinc chloride

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

Section 15. Regulatory information

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ (lbs)	SARA 302 TPQ (gallons)	SARA 304 RQ (lbs)	SARA 304 RQ (gallons)
CMV IgG Reagent Wedge A sodium azide	0.098	Yes.	500	-	1000	-
CMV IgG Reagent Wedge B sodium azide	0.098	Yes.	500	-	1000	-
IMMULITE 2000 TORCH IGG/IGM DILUENT sodium azide	0.098	Yes.	500	-	1000	-
CMV IgG Controls sodium azide	0.098	Yes.	500	-	1000	-
CMV IgG Adjustor sodium azide	0.098	Yes.	500	-	1000	-

SARA 304 RQ : 1020408.2 lbs / 463265.3 kg

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
CMV IgG Reagent Wedge A aminocaproic acid	1.2	No.	No.	No.	Yes.	No.
CMV IgG Reagent Wedge B aminocaproic acid	1.2	No.	No.	No.	Yes.	No.
IMMULITE 2000 TORCH IGG/IGM DILUENT aminocaproic acid	2.5	No.	No.	No.	Yes.	No.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
IMMULITE 2000 TORCH IGG/IGM DILUENT gentamicin, sulfate (salt)	No.	Yes.	No.	No.
CMV IgG Controls gentamicin, sulfate (salt)	No.	Yes.	No.	No.

Section 15. Regulatory information

CMV IgG Adjustor gentamicin, sulfate (salt)	No.	Yes.	No.	No.

Canada inventory :

International regulations

International lists : **Australia inventory (AICS)**: Not determined.
China inventory (IECSC): Not determined.
Japan inventory: Not determined.
Korea inventory: Not determined.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.
Taiwan inventory (CSNN): Not determined.

Chemical Weapons Convention List Schedule I Chemicals :

Chemical Weapons Convention List Schedule II Chemicals :

Chemical Weapons Convention List Schedule III Chemicals :

Section 16. Other information

History

Date of issue/Date of revision : 7/27/2015.

Version : 1.04

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

Allergen : **Not available.**